

	210-57	210-1 KAN	212005	***************************************		
			210-OUT			
210 27	STREAM) A	7 -210-€	12AB		
	1	1 !	220-IN	_220		
	1	1 22023	/51	TREAM B	1	
	<u> </u>	220-57	30	220-En2		
•	2302	STREAM	T		1	
	1		0.END		j (
2402	_ A	1 AT 1	87	B	1	
	(240-A	[7]	O-8T	240-B	1	
		10-117 . 6.74	0-81- 		1	
		i	<u>!</u>	(/ .	
£	a Ł,	tz	t ₃	Ę9	· · · · · · · · · · · · · · · · · · ·	
					· · · · · · · · · · · · · · · · · · ·	
•		FIG	. 2A			
				(SMPTE TH	ME COOES)	
there there there there is an individual to the there is a second to th	STREAM A	∞;∞;∞;oo	1.4tz	00:00:02:13	NA	I
	STREAM B	N/A	NA	00:00:00:23	T	∞:
		00:00:00	< t2	00:00:02:13	>t2	00:0
		to	٤,	tz	£3	t
		FIG.	. 28			,
-						
						
_ - -						

j · .

TO MASS STORAGE	SZ TO ROJER 13
DEVICE	52 TO ROTER 130
115	
	TUPUT/CUTAT = 310
	1
750	320 330
	338
TIME RASE	PROCESSOR SUPPORT
CORRECTOR	
	CIRCUTRY
110 ~7	
-	MEMORY 340
	INDEX CENERATION FUNCTION 342.
F16.3	TRANSITIO
	TRANSITION CLIP
Activity	GENERATION FUNCTION BYK
un with	
: ± :: : : : : : : : : : : : : : : : :	
	(INDEX LIBRARY 346)
5Ç.	
HI I I I I I I I I I I I I I I I I I I	STREAM LIBLARY 348
	CIOLARY 340
	TRANSITION CLIP TIME
	RESTAMPING FUNCTION 345
	==7/1/1/11/20 FOXC/10W 343
	(T. 20) = (0 = 20)
	IN-POINT/OUT-POINT ADAPTOR
	GENERATION FUNCTION 349
	· · · · · · · · · · · · · · · · · · ·

410 -TRAM 4 410-OUT -COND

415 - OUT -COND

415 - OUT -COND

425 -IN-COND

425 -IN-COND

P3 P4

420 - VIIIM STREAM B

430-A 430-CUT 430-IN 430-B

F16.4

army peop of it many grows gain it is it is the grow people grows and grows are seen to the second grows and grows are seen to the second grows are seen to the s





FIG. 5

begin decoding here stop decoding here I B B P B B P B B I B B P B B I B 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 В В 8 9 entry frame 623 entry frame enter stream here В P В 10 8 9 next I frame (display order)

-7/12

705 ANNOTATE FROM-STREAM AND TO'- STREAM DECODE PORTION OF FRAM-STREAM PRIOR DECORE PORTION OF TO-STREAM 720 RE-ENCODE DECORED PORTIONS STREAM TO FORM TRANSITION F16.7



- 905 I PENTIFY ENTRY FRAME TO-STREAM DECODE, IN DISPLAY ORDER, ENTRY FRAME AND ALL FRAMES APPERING BEFORE NEXT I-FRAME 900 915 COPY NEXT I-FRAME TO TRANSITION CLIP 920 COPY IN TRANSMISSON ORDER FRAMES I.FRAME TO TRANSITION CLIP F16.9

· /	1005	
	START	
	100	1010-P
	PARSE TRANSPORT LAYER:	ET: SEG. MEADER : PIENE - HE SOER
-	1015	(ST/SO)SAME
	EXAMINE FROME	1020-D
	1020	
1000	Dege	tr: pes: fr:
	DETERMINE INDEX DATA	PT: DT: Bd:
	FOR FRAME	CBd: (I/O)vev:
		(SI/SO)SMPTC
	CIO35 CHOEX DATA	
16.4	10.50	
NEXT FRAME	YES MORE NO EXIT	
	FRAMES	:
9::1. 	, , , ,	
: E : S : S : S : S : S : S : S : S : S	F16.10	
18 miles		
11 11 11 11 11 11 11 11 11 11 11 11 11		
rang, rang Lang, rang Lang, rang		
		, , , , , , , , , , , , , , , , , , ,
	-	
		

4 12

Į"

12 12

= 12

Ξ

F1G. 11

1130

1120

1110

£ 1100

	12/12		
	A) PAKSE S	TIZEZAN IZATIK	APPROPRIATE 1205
		FOR OUT-POINT	
		1210	
name en energen den 1 men en mandelbestelle de Mallet de 19 m	Iu	IN/out 00	J7
	V	2	
	DECODE PORTION OF		DECODE PORTION
1240-	STREAM STARTING AT		STREAM ENDING WITH
	IN-POINT ON ENTRY FRAME	1212	EDU) COOLAT OR EXTT TREET
		SPLICE ADAPTOR CRITERIA	122
	RE-ENCODE DECODED	SMATE 312M	REENCODE DECODED
1342-	PORTION ACCORDING	PLOPRIATORY	PORTION ACCORDING T
	TO RE-ENCOUR CKITERIA	STHER	RE-ENCODE CRITERIA
	INCLUDING PRE-DEFINED	L	INCLUDING PRE-DEFIN
	IN-POINT CONDITION	1250	OUT-POINT CONDITION
	1 1000000000000000000000000000000000000	1 1	· · · · · · · · · · · · · · · · · · ·
	ASSOCIATE IN-PO		PTOR WITH
	FOUND IN- POIN		UD OUT-POINT
	1,30,00	1255	, 1236
gg (p. s), m. e Managamanana ana ani dancia manari narra	STO RE IN- POINT AD	PAPTUR STORE	OUT-PAINT ADAPTUR
		→(A)<	
P1911 141	1260		
	REPLACE DECODED	REPLACE DE COOLD	
	PORTION OF STREAM	PORTION OF STREAM	
#4.0 x 44.1 #1 76.14 #4 #4 #4 #4	WITH IN-POINT ADAPTOR		WITH OUT- POINT ADAM
The second secon			
	<u> </u>	XAX	
and the second s			. ,
		F/C,	/ <u></u>